	Incidence		Morta	Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate	
Year of Diagnosis or Death	Male	Male	Male	Male	
		ALL RACES			
1988	753	4.6	52	0.4	
1989	813	4.8	52	0.3	
1990	859	5.1	52	0.4	
1991	836	4.9	48	0.3	
1992	864	4.9	43	0.3	
1993	865	5.1	43	0.3	
1994	780	4.5	69	0.4	
1995	852	5.0	47	0.3	
1996	864	5.1	44	0.3	
1997	827	4.8	52	0.3	
1998	948	5.5	45	0.3	
1999	943	5.4	55	0.3	
2000	945	5.3	49	0.3	
2001	938	5.2	57	0.3	
2002	903	5.0	55	0.3	
2003	970	5.3	34	0.2	
2004	977	5.3	55	0.3	
2005	1,008	5.5	71	0.4	
2006	1,012	5.5	67	0.4	
2007	1,037	5.5	50	0.3	
2008	1,071	5.7	55	0.3	
2009	1,075	5.6	60	0.3	
2010	1,113	5.8	59	0.3	
2011	1,062	5.5	62	0.3	
2012	1,100	5.6	69	0.4	
2013	1,157	5.9 SIAN/PACIFIC ISL	54	0.3	
1000					
1988	20	1.4 1.8	1	-	
1989 1990	25 22	1.5	4	-	
1990	27	1.7	4	-	
1992	29	1.7	1	_	
1993	35	1.7	0	_	
1994	34	1.9	2	_	
1995	31	1.6	1		
1996	27	1.5	3	_	
1997	32	1.7	1	_	
1998	46	2.4	1	_	
1999	39	2.0	1	_	
2000	41	2.0	2	_	
2001	36	1.6	3	_	
2002	29	1.2	1	_	
2003	31	1.4	1	_	
2004	35	1.5	2	-	
2005	45	1.9	4	-	
2006	41	1.7	4	-	
2007	50	2.0	4	-	
2008	39	1.5	4	-	
2009	59	2.2	2	-	
2010	53	2.1	4	-	
2011	54	2.0	1	-	
2012	57	2.1	4	-	
2013	67	2.3	6	-	
			(Table Continues)	

	Incidence		Mort	Mortality	
	New Cases		Deaths	Annual Rate	
Year of Diagnosis or Death	Male	Male	Male	Male	
	ı	NON-HISPANIC B	BLACK		
1988	16	1.3	2	_	
1989	14	-	1		
1990	12	-	2		
1991	14	-	1	-	
1992	18	1.4	0	-	
1993	18	1.4	0	-	
1994	11	-	3	-	
1995	17	1.4	1	-	
1996	15	1.5	1	-	
1997	18	1.5	3	-	
1998	20	1.8	2	-	
1999	17	1.7	1	-	
2000	20	1.7	2	-	
2001	24	2.1	3	-	
2002	16	1.5	4	-	
2003	14	-	1	-	
2004	17	1.4	3		
2005	14	-	3		
2006	17	1.5	3		
2007	23	1.9	0		
2008	26	2.3	3		
2009	22	1.9	1		
2010	21	1.9	1		
2011	16	1.3	0		
2012	23	1.8	3		
2013	23	1.8 HISPANIC	2	-	
4000	440				
1988	119	2.7 3.0	13 17		
1989	148 147	3.2	11	0.4	
1990 1991	179	3.4	8	-	
1992	156	3.0	14		
1993	197	4.0	8		
1994	147	2.9	30		
1995	195	3.6	15		
1996	207	3.6	12		
1997	196	3.3	17		
1998	210	3.5	13		
1999	221	3.5	16		
2000	256	4.1	15		
2001	252	3.8	19		
2002	255	3.8	17		
2003	281	4.0	14		
2004	302	4.1	20		
2005	317	4.2	34		
2006	352	4.8	26		
2007	358	4.6	27		
2008	378	4.9	25		
2009	410	5.0	24		
2010	417	5.1	26		
2011	414	5.1	30		
2012	451	5.5	31	0.4	
2013	425	5.1	24	0.3	
				(Table Continues)	

Incidence and Mortality Counts and Age-Adjusted (2000 U.S. Population) Rates per 100,000 Males by Year and Race/Ethnicity, California, 1988-2013, Testicular Cancer (continued)

	Incidence		Morta	Mortality	
	New Cases	Annual Rate	Deaths	Annual Rate	
Year of Diagnosis or Death	Male	Male	Male	Male	
		NON-HISPANIC V	VHITE		
1988	587	6.1	36	0.4	
1989	615	6.3	32	0.4	
1990	666	6.9	35	0.4	
1991	605	6.4	35	0.4	
1992	655	6.9	27	0.3	
1993	605	6.6	35	0.4	
1994	581	6.4	34	0.4	
1995	594	6.8	30	0.3	
1996	595	7.0	28	0.3	
1997	568	6.7	31	0.4	
1998	657	7.8	28	0.3	
1999	649	7.7	36	0.4	
2000	614	7.3	30	0.4	
2001	613	7.4	31	0.4	
2002	583	7.1	33	0.4	
2003	622	7.7	18	0.2	
2004	599	7.5	29	0.3	
2005	614	7.8	30	0.4	
2006	567	7.3	34	0.4	
2007	579	7.5	19	0.2	
2008	603	7.9	22	0.3	
2009	552	7.3	33	0.4	
2010	585	7.7	28	0.3	
2011	546	7.4	31	0.4	
2012	538	7.2	31	0.4	
2013	607	8.2	22	0.3	

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2009-2013, Testicular Cancer

	Incidend	ce	Mortali	ty
!	New Cases 2009-2013	Annual Rate	Deaths 2009-2013	Annual Rate
Age at				
Diagnosis or Death	Male	Male	Male	Male
		ALL RACES		
00 - 04	42	0.7	0	0.0
05 - 09	3	0.1	0	0.0
10 - 14	16	0.2	0	0.0
15 - 19	322	4.6	5	0.
20 - 24	878	11.9	43	0.0
25 - 29	1,119	15.6	68	1.0
30 - 34	901	13.4	32	0.8
35 - 39	662	10.3	36	0.6
40 - 44	517	7.9	21	0.3
45 - 49	424	6.4	30	0.5
50 - 54	231	3.6	16	0.3
55 - 59	195	3.5	13	0.2
60 - 64	89	2.0	13	0.0
65 - 69	50	1.5	7	0.2
70 - 74	21	0.9	0	0.0
75 - 79	15	0.9	5	0.3
80 - 84	13	1.0	6	0.0
85 +	9	0.8	9	0.8
Total/Crude	5,507	5.9	304	0.0
		ASIAN/PACIFIC ISLA	ANDER	
00 - 04	6	0.8	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	3	0.4	0	0.0
15 - 19	12	1.4	0	0.0
20 - 24	49	5.0	6	0.0
25 - 29	63	6.3	2	0.2
30 - 34	47	4.9	1	0.
35 - 39	35	3.5	3	0.0
40 - 44	32	3.3	0	0.0
45 - 49	18	2.0	2	0.2
50 - 54	9	1.0	0	0.0
55 - 59	8	1.0	0	0.0
60 - 64	4	0.6	3	0.0
65 - 69	2	0.4	0	0.0
70 - 74	1	0.3	0	0.0
75 - 79	0	0.0	0	0.0
80 - 84	0	0.0	0	0.0
85 +	1	0.7	0	0.0
Γotal/Crude	290	2.3	17	0.4
				(Table Continues

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2009-2013, Testicular Cancer (continued)

	Incidence		Mortality		
	New Cases 2009-2013	Annual Rate	Deaths 2009-2013	Annual Rate	
Age at Diagnosis or Death	Male	Male	Male	Male	
		NON-HISPANIC E	BLACK		
00 - 04	0	0.0	0	0.0	
05 - 09	0	0.0	0	0.0	
10 - 14	1	0.2	0	0.0	
15 - 19	3	0.6	0	0.0	
20 - 24	19	3.7	3	0.6	
25 - 29	12	2.8	1	0.2	
30 - 34	18	4.5	0	0.0	
35 - 39	11	3.0	1	0.3	
40 - 44	15	3.7	1	0.2	
45 - 49	12	2.7	0	0.0	
50 - 54	2	0.5	0	0.0	
55 - 59	9	2.6	0	0.0	
60 - 64	1	0.4	0	0.0	
65 - 69	1	0.6	0	0.0	
70 - 74	0	0.0	0	0.0	
75 - 79	1	1.1	0	0.0	
80 - 84	0	0.0	1	1.9	
85 +	0	0.0	0	0.0	
Total/Crude	105	1.8	7	0.1	
		HISPANIC			
00 - 04	25	0.7	0	0.0	
05 - 09	3	0.1	0	0.0	
10 - 14	8	0.2	0	0.0	
15 - 19	214	6.2	4	0.1	
20 - 24	465	14.1	28	0.9	
25 - 29	523	16.9	44	1.4	
30 - 34	342	11.8	22	0.8	
35 - 39	229	8.5	18	0.7	
40 - 44	126	4.9	5	0.2	
45 - 49	85	3.8	4	0.2	
50 - 54	44	2.5	4	0.2	
55 - 59	23	1.7	2	0.2	
60 - 64	14	1.5	1	0.1	
65 - 69	6	1.0	1	0.2	
70 - 74	6	1.4	0	0.0	
75 - 79	4	1.3	1	0.3	
80 - 84	0	0.0	0	0.0	
85 +	0	0.0	1	0.7	
Total/Crude	2,117	5.9	135	0.4	
				(Table Continues)	

Five-Year Incidence and Mortality Counts and Average Annual Age-Specific and Crude Rates per 100,000 Males by Age and Race/Ethnicity, California, 2009-2013, Testicular Cancer (continued)

	Incidenc	e	Morta	lity
	New Cases 2009-2013	Annual Rate	Deaths 2009-2013	Annual Rate
Age at Diagnosis or Death	Male	Male	Male	Male
		NON-HISPANIC WI	HITE	
00 - 04	9	0.5	0	0.0
05 - 09	0	0.0	0	0.0
10 - 14	4	0.2	0	0.0
15 - 19	87	3.9	1	0.0
20 - 24	323	12.7	6	0.2
25 - 29	496	19.1	21	0.8
30 - 34	465	19.2	9	0.4
35 - 39	363	15.7	14	0.6
40 - 44	321	12.2	15	0.6
45 - 49	292	9.8	24	0.8
50 - 54	170	5.2	12	0.4
55 - 59	147	4.8	11	0.4
60 - 64	69	2.6	9	0.3
65 - 69	38	1.9	6	0.3
70 - 74	14	1.0	0	0.0
75 - 79	10	0.9	4	0.4
80 - 84	13	1.6	5	0.6
85 +	7	0.9	8	1.0
Total/Crude	2,828	7.3	145	0.4

Risk (Percent) of Being Diagnosed with Invasive Cancer within the Next 10, 20, or 30 Years, or in the Remaining Lifetime, Assuming Cancer Free at Current Age, and Lifetime Risk of Being Diagnosed with or Dying of Cancer by Race/Ethnicity and Sex, Testicular Cancer

	Males				
Current Age	10+ yrs	20+ yrs	30+ yrs	eventually	
	A	ALL RACES			
0	0.00	0.03	0.16	0.40	
25	0.14	0.23	0.28	0.32	
35	0.09	0.14	0.16	0.18	
45	0.05	0.07	0.08	0.09	
55	0.03	0.04	0.04	0.04	
65	0.01	0.02	-	0.02	
		sk of Being sk of Dying			
	ASIAN/P	ACIFIC ISL	ANDER		
0	0.00	0.02	0.07	0.15	
25	0.05	0.09	0.10	0.12	
35	0.03	0.05	0.06	0.06	
45	0.02	0.02	0.03	0.03	
55	0.01	0.01	0.01	0.02	
65	0.00	0.00	-	0.01	
		sk of Being sk of Dying			
	NON-H	ISPANIC B	LACK		
0	0.00	0.01	0.04	0.11	
25	0.03	0.07	0.08	0.10	
35	0.03	0.05	0.06	0.06	
45	0.02	0.03	0.03	0.03	
55	0.01	0.02	0.02	0.02	
65	0.00	0.01	-	0.01	
Lifetime Risk of Being Diagnosed = 0.11% Lifetime Risk of Dying of Cancer = 0.01%					
		HISPANIC			
0	0.00	0.04	0.18	0.36	
25	0.14	0.21	0.24	0.26	
35	0.07	0.10	0.11	0.13	
45	0.03	0.05	0.05	0.06	
55	0.02	0.03	0.03	0.03	
65	0.01	0.02	-	0.02	
Lifetime Risk of Being Diagnosed = 0.36% Lifetime Risk of Dying of Cancer = 0.03%					
	NON-H	IISPANIC V	VHITE		
0	0.00	0.03	0.18	0.52	
25	0.18	0.32	0.39	0.44	
35	0.14	0.21	0.24	0.26	
45	0.07	0.11	0.12	0.13	
55	0.03	0.05	0.05	0.05	
65	0.01	0.02	-	0.02	
	Lifetime Risk of Being Diagnosed = 0.52% Lifetime Risk of Dying of Cancer = 0.03%				